CHAPTER 03 LINEAR EQUATIONS IN TWO VARIABLES

SUBJECT: MATHEMATICS MAX. MARKS : 40 CLASS : X DURATION : 1½ hrs

General Instructions:

- (i). **All** questions are compulsory.
- (ii). This question paper contains 20 questions divided into five Sections A, B, C, D and E.
- (iii). Section A comprises of 10 MCQs of 1 mark each. Section B comprises of 4 questions of 2 marks each. Section C comprises of 3 questions of 3 marks each. Section D comprises of 1 question of 5 marks each and Section E comprises of 2 Case Study Based Questions of 4 marks each.

(iv)	marks each and Section E comprises of 2 Case Study Based Questions of 4 marks each. iv). There is no overall choice.					
` /	(v). Use of Calculators is not permitted					
<u>SECTION – A</u> Questions 1 to 10 carry 1 mark each.						
1.	The pair of linear (a) inconsistent	equations $2x + 3y = 5$ and $4x$ (b) consistent	+ 6y = 10 is (c) dependent consist	tent (d) none of these		
2.	-	ions $y = 0$ and $y = -7$ has (b) two solutions	(c) infinitely many so	olutions (d) no solution		
3.	The pair of equation (a) parallel	ions $x = 4$ and $y = 3$ graphical (b) intersecting at $(3, 4)$	• -	ch are (d) intersecting at (4, 3)		
4.	A pair of linear equations which has a unique solution $x = 2$, $y = -3$ is (a) $x + y = -1$; $2x - 3y = -5$ (b) $2x + 5y = -11$; $4x + 10y = -22$ (c) $2x - y = 1$; $3x + 2y = 0$ (d) $x - 4y - 14 = 0$; $5x - y - 13 = 0$					
5.	If $x = a$, $y = b$ is to values of a and b (a) 3, 5	he solution of the pair of equa are (b) 5, 3	ations $x - y = 2$ and $x + (c) 3, 1$	y = 4, then the respective (d) -1 , -3		
6.	The pair of equation (a) $a = b$	ions $ax + 2y = 7$ and $3x + by = $ (b) $3a = 2b$	= 16 represent parallel 1 (c) 2a = 3b	lines if (d) $ab = 6$		
7.	Using the followi	g equations: $\frac{4}{x} + 6y = 10$; $\frac{1}{x} - 6y = 5$, find the value of p if p = 3x. (b) 2 (c) 3 (d) 4				
	(a) 1	(b) 2	(c) 3	(d) 4		
8.	The value of k for which the system of equations $x + y - 4 = 0$ and $2x + ky = 3$, has no solution, is					
	(a) - 2	(b) \neq 2	(c) 3	(d) 2		

In the following questions 9 and 10, a statement of assertion (A) is followed by a statement of reason (R). Mark the correct choice as:

- (a)Both assertion (A) and reason (R) are true and reason (R) is the correct explanation of assertion (A).
- (b)Both assertion (A) and reason (R) are true but reason (R) is not the correct explanation of assertion (A).
- (c) Assertion (A) is true but reason (R) is false.
- (d)Assertion (A) is false but reason (R) is true.

9. Assertion (A): If the pair of lines are coincident, then we say that pair of lines is consistent and it has a unique solution.

Reason (R): If the pair of lines are parallel, then the pair has no solution and is called inconsistent pair of equations.

10. Assertion (A): The value of k for which the system of linear equations 3x - 4y = 7 and 6x - 8y = 7k have infinite number of solution is 14.


Reason (R): The system of linear equations $a_1x + b_1y + c_1 = 0$ and $a_2x + b_2y + c_2 = 0$ have infinitely many solution if $\frac{a_1}{a_2} \neq \frac{b_1}{b_2}$

 $\frac{\underline{SECTION} - \underline{B}}{\text{Questions 11 to 14 carry 2 marks each.}}$

- **11.** Solve for x and y: 2x + 3y = 7; 4x + 3y = 11
- 12. Find the values of a and b for which the following pair of linear equations has infinitely many solutions:

$$2x + 3y = 7$$
; $(a + b)x + (2a - b)y = 21$

- 13. Find the value(s) of k so that the pair of equations x + 2y = 5 and 3x + ky + 15 = 0 has a unique solution
- **14.** In the below Figure, ABCD is a rectangle. Find the values of x and y.



$\underline{SECTION-C}$

Questions 15 to 17 carry 3 marks each.

- 15. The sum of the digits of a two digit number is 9. The number obtained by reversing the order of digits of the given number exceeds the given number by 27. Find the given number.
- **16.** Solve for x and y: $\frac{x}{4} + \frac{2y}{3} = 7$; $\frac{x}{6} + \frac{3y}{5} = 11$
- **17.** Solve for x and y: $\frac{x}{a} \frac{y}{b} = 0$; $ax + by = a^2 + b^2$

$\frac{\underline{SECTION} - \underline{D}}{\text{Questions 18 carry 5 marks}}.$

18. Solve the following system of equations graphically for x and y: 3x + 2y = 12; 5x - 2y = 4. Find the co-ordinates of the points where the lines meet the y-axis.


<u>SECTION – E (Case Study Based Questions)</u>

Questions 19 to 20 carry 4 marks each.

19. A test consists of 'True' or 'False' questions. One mark is awarded for every correct answer while $\frac{1}{4}$ mark is deducted for every wrong answer. A student knew answers to some of the questions. Rest of the questions he attempted by guessing. He answered 120 questions and got 90 marks.

Type of Question	Marks given for correct answer	Marks deducted for wrong answer
True/False	1	0.25

- (a) If answer to all questions he attempted by guessing were wrong, then how many questions did he answer correctly?
- (b) How many questions did he guess?
- (c) If answer to all questions he attempted by guessing were wrong and answered 80 correctly, then how many marks he got?
- (d) If answer to all questions he attempted by guessing were wrong, then how many questions answered correctly to score 95 marks?
- **20.** Amit is planning to buy a house and the layout is given below. The design and the measurement has been made such that areas of two bedrooms and kitchen together is 95 sq.m.



Based on the above information, answer the following questions:

- (a) Form the pair of linear equations in two variables from this situation.
- (b) Find the length of the outer boundary of the layout.
- (c) Find the area of each bedroom and kitchen in the layout.
- (d) Find the area of living room in the layout.